



**POLLUTION INCIDENT RESPONSE  
MANAGEMENT PLAN  
FOR MT MAGOMETON QUARRY**

**EPA License No. 1152**

## ABOUT THIS RELEASE:

Document Number: Edition 2 Revision 3

Document Title: Coonamble Shire Council Pollution Incident Response  
Management Plan for Mt Magometon Quarry.

Author: Executive Leader – Infrastructure

### REVISION REGISTER

Edition/ Revision	Description	Review Author	Date	Authorised By
Ed1/Rev0	Issued	Engineer – Roads, Bridges & Operations	30/01/13	Director of Engineering Services
Ed2/Rev1	Issued	Director Engineering Services	27/02/14	Director of Engineering Services
Ed2/Rev 2	Issued	Director Engineering Services	10/04/17	Director of Engineering Services
Ed2/Rev 3	Issued	Quarry Overseer	21/04/21	Executive Leader - Infrastructure

## Table of Contents

1.0	Objectives.....	1
2.0	Definition of a Pollution Incident .....	1
3.0	Description and Likelihood of Hazard .....	1
4.0	Pre-emptive Actions to be Taken .....	5
5.0	Inventory of Potential Pollutants .....	5
6.0	Safety Equipment .....	6
7.0	Contact Details .....	6
8.0	Communicating with Neighbours and the Local Community .....	7
9.0	Minimising Harm to Persons on the Premises.....	7
10.0	Actions During or Immediately After Pollution Incident.....	7
11.0	Staff Training.....	8
12.0	Access to this Plan.....	8
13.0	Testing Plans .....	8
14.0	Implementing this Plan.....	8

## **Introduction**

Council has prepared this plan as required by the *Protection of Environment Operations Act 1997* (PoEO Act). This legislation stipulates that all holders of environment protection licenses must prepare a plan in order to manage pollution incident responses. The plan must be prepared in a form detailed in the associated Regulation and be kept on the premises to which the license relates.

### **1.0 Objectives**

The objectives of this Pollution Incident Response Management Plan (the Plan) are:

- To ensure comprehensive and timely communication about a pollution incident to staff at the premises, other Council staff as appropriate, the Environment Protection Authority (EPA), other relevant authorities and the community that may be affected by impacts of the incident
- Minimise and control risk of a pollution incident by identifying risks and developing planned actions to manage those risks
- Ensure that this Plan is effectively implemented by trained staff, identifying persons responsible for implementing it, and regularly testing and reviewing it to ensure that it is current and suitable.

### **2.0 Definition of a Pollution Incident**

A pollution incident is defined in s147 of the PoEO Act as:

- a) Harm to the environment is material if:
- i) it involves actual or potential harm to the health or safety of human beings or to ecosystems that is not trivial, or
  - ii) it results in actual or potential loss or property damage of an amount, or amounts in aggregate, exceeding \$10,000 (or such other amount as is prescribed by the regulations), and
- b) Loss includes the reasonable costs and expenses that would be incurred in taking all reasonable and practicable measures to prevent, mitigate or make good harm to the environment.

### **3.0 Description and Likelihood of Hazard**

Hazards relevant to this Plan were ranked using the matrices provided below. The process involved firstly ranking the consequence and likelihood of the hazard and then

cross referencing the score with the risk assessment matrix to assign a risk level: High, Moderate, or Low.

Example:

A particular hazard could have minor safety implications but have a moderate but reversible short-term environmental impact with remediation estimated to cost around \$2M. Residents are largely unaffected. Therefore the consequence rating is 3 (as the environmental/economic factors ranked highest).

As the event is considered unlikely to happen (possibly because of regular monitoring etc.) then the rank for likelihood is D.

Cross-referencing with the risk assessment matrix gives a hazard rating of 3D a risk level of 'Low'.

Step 1. Assess Consequence and Likelihood of the Hazard

Consequence					Likelihood	
Rank	Safety	Environmental	Economic	Social	Rank	Likelihood
1	Multiple Fatalities (>100)	Disastrous environmental impact, remediation not possible	>\$50M cost	Significant Regional Impact (>10000 residents)	A	Almost certain to happen
2	Major Fatalities (10-100)	Serious environmental impact with medium term effect, major remediation	\$5-50M cost	Minor impact on entire region (>10000 residents) and significant impact on local area (>2000)	B	Likely to happen
3	Fatalities (1-10)	Moderate, reversible environ. impact, short term effect, moderate remediation	\$1-5M cost	Minor impact of local area (>2000) and significant impact on several residents (>100)	C	Could happen occasionally
4	Serious Injuries	Minor, reversible environmental impact, requiring minor remediation	\$0.25-1M cost	Minor impact on several residents (>100) and some impact on residents (>10)	D	Unlikely to happen
5	Minor medical treatment	Negligible, reversible environmental impact, requiring very minor/no remediation	less than \$0.25M	Minor impact on residents (>10)	E	Extremely rare to happen

Step 2. Assign Risk Level based on Hazard Rating

		Likelihood				
		A	B	C	D	E
Consequence	1	High	High	High	Moderate	Moderate
	2	High	High	Moderate	Moderate	Low
	3	High	Moderate	Moderate	Low	Low
	4	Moderate	Moderate	Low	Low	Low
	5	Moderate	Low	Low	Low	Low

## Hazard Identification and Risk Level

Hazard Description	Hazard Rating	Risk Level
Diesel	5E	Low
Supa 30 Precoat	5E	Low
Unleaded Petrol	5E	Low
Various Oils	5E	Low

### 4.0 Pre-emptive Actions to be Taken

The following pre-emptive actions shall be implemented to mitigate the hazards identified above.

Hazard Description	Pre-emptive Action
<ul style="list-style-type: none"> <li>• Diesel Spill</li> <li>• Precoat Spill</li> <li>• Unleaded Petrol Spill</li> <li>• Oil Spill</li> </ul>	<ol style="list-style-type: none"> <li>1. Spill kits on-site</li> <li>2. Fire extinguishers located at entrance/exits to storage area</li> <li>3. Fire extinguishers checked and maintained six monthly - by accredited company</li> <li>4. Staff trained in use of appropriate fire extinguishers, with refresher training undertaken as required</li> </ol>

### 5.0 Inventory of Potential Pollutants

The table below details the potential pollutants kept at this site.

Potential Pollutant	Max. Possible Quantity	Storage Details
Diesel	7,000 litres	Underground tank north of Office
Precoat	30,000 litres	Tanks east of Office
Petrol	60 litres	Flammable shed back of Plant Shed
Oil	2,000 litres	Oil shed in Plant Shed



## 6.0 Safety Equipment

This section details safety equipment at the facility and its location. Appropriate Safety Data Sheets (SDS) and their locality are also registered here.

Safety Equipment	Location
SDS	Workshop
Oil Spill Kit	Oil Shed
Fire Extinguishers	Bowser/Plant Shed/Workshop/ Precoat Area

Hazardous Material	MSDS No.	Locality
Flammable Fuels	2FH	Bowser/Plant Shed/Workshop/ Precoat area

## 7.0 Contact Details

The following lists key personnel responsible for actioning this plan and managing the response to a pollution incident. Also listed are contact details of relevant authorities that must be notified immediately (meaning promptly and without delay) in order if an incident occurs.

Council Key Personnel		
Name	Title	24-hour contact
Alan Blackney	Quarry Overseer	0428 220 001
Kookie Atkins	Executive Leader – Infrastructure	0427 271 903

Other Notification Numbers	
Police Ambulance Fire and Rescue	000
EPA	131 555
Coonamble Hospital – Public Health Officer (Office Hours)	(02) 6827 1100
SafeWork NSW	13 10 50
NSW Fire and Rescue	1300 729 579
Mines Department	02 4063 6500

## 8.0 Communicating with Neighbours and the Local Community

In the event of a pollution incident the level of communication with the community will vary depending upon the nature of the incident. Mechanisms for contacting the community for each identified hazard are provided below.

All media communications must be organised with prior approval of the General Manager's office.

Hazard Description	Level of Consultation	Method of Communication
Diesel Spill Precoat Spill	Local Local	<ul style="list-style-type: none"> <li>• Local Radio</li> <li>• Regional Radio [list radio stations]</li> <li>• Door Knock</li> <li>• Letter box drops</li> <li>• Phone</li> <li>• Council</li> </ul> <p style="text-align: right;">Website [<a href="http://www.coonambleshire.nsw.gov.au">www.coonambleshire.nsw.gov.au</a>]</p>

## 9.0 Minimising Harm to Persons on the Premises

Procedures to prevent harm to persons at the facility as a result of a pollution incident are detailed in this section. These persons may include employees, members of the public or contractors.

Procedures for identified hazards are:

Hazard Description	Action
Fire – smoke inhalation	<ul style="list-style-type: none"> <li>• Identify the evacuation point for all patrons to congregate</li> <li>• Use correct PPE – identify breathing apparatus</li> <li>• Use UHF radio</li> </ul>

## 10.0 Actions During or Immediately After Pollution Incident

This section of the Plan details specific response measures that are to be actioned to contain the magnitude of pollution during and after an incident. Measures are linked to the hazards identified in Section 3.0.

Hazard Description	Action
Flammable Fluid Spill	<ol style="list-style-type: none"> <li>1. Isolate spill by shutting off valve at base of storage tank</li> <li>2. Deploy containment boom around extent of spill – erect spill equipment</li> <li>3. Spread absorbent material over spill</li> <li>4. Contact Fire &amp; Rescue NSW and/or RFS to assist with containment/clean-up</li> </ol>

## 11.0 Staff Training

All staff entering this facility are required to be inducted on the content of this plan. Staff should be familiar with the hazards and associated procedures should a pollution incident occur. Staff should also be familiar with sections of the plan and how to quickly find contacts and other information such as the location of safety equipment.

This plan should also be reviewed annually in consultation with staff to ensure that the level of training is commensurate with the risk rating and that the plan remains current and suitable. The table that follows outlines training appropriate to this facility and this plan.

Item	Action	Timeframe
Introduction to this plan	Induction	Upon commencement
Review of this Plan	Toolbox meeting	Annually
Fire Extinguisher Training	RTO	Every 3 years

## 12.0 Access to this Plan

A copy of this plan is located at the Mt Magometon Quarry. The plan is also available on Council's website [www.coonambleshire.nsw.gov.au](http://www.coonambleshire.nsw.gov.au)

## 13.0 Testing Plans

This plan must be reviewed once every 12 months to ensure that the information contained within is accurate and up to date and that the Plan is effective. All aspects of this plan should be tested.

There are two usual methods for testing. These include desktop simulations which should assist in undertaking a review of this plan as outlined in Section 13.0. The second method is practical simulations or drills. These will assist in identifying practical shortfalls of the plan and provide opportunities for improvement. The testing regime for this plan is provided below:

Item	Date	Method
Flammable Liquids	30 June 2021	Inspection
Unleaded Petrol	30 June 2021	Inspection
Diesel	30 June 2021	Inspection
Oil	30 June 2021	Inspection

## 14.0 Implementing this Plan

This plan shall be implemented if a pollution incident occurs as defined in Section 2.0. The person(s) responsible for implementing this Plan is identified in Section 7.0.